

1	Hammer	x	x	x	x	x	x	x	x	x	x		
1	Roll of WHMIS Labels	x	x	x	x	x	x	x	x	x	x		
	Administrative												
1	Contingency manual	x	x	x	x	x	x	x	x	x	x		
1	2021 Registration (expires Feb 27, 2022)	x	x	x	x	x	x	x	x	x	x		

****Use Premium fuel for the Water Pump, not provided in spill trailer****

****Scare Cannon requires a 12v car battery and propane tank to operate (Read Manual).**

**** Pneumatic skimmer quick set up. Place 3 to 8 drops of 10 W oil in the "air motor inlet" located on the skimmer prior to use. Check oil gauge make sure it has oil for lubrication 10 W oil (located in white trailer). DO NOT OVERFILL. Apply air control with valve on the oil filter stand, need a consistent supply of air. Air source should be able to consistently supply 140lbs of air to run the skimmer. Hook a vac house on skimmer to recover impacted fluids, or use a transfer pump to pump into a bladder. READ manual before operating. Skimmer is not made to have booms connected to it.**

Read Manuals located in the Spill Trailer before operating.

****Propane not provided in spill trailer**

White Trailer Tires run at 66lbs

2021 INVENTORY MONTHLY CHECKLIST

Updated : October 29, 2021

Black Trailer

QUAN TITY	INVENTORY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	Trailer Registration expires Feb 27, 2022.	X	X	X	X	X	X	X	X	X	X		
1	15lb Bag of GELCO. Used to clean-up hydrocarbons	X	X	X	X	X	X	X	X	X	X		
1	Boom sets 50' x 16"	X	X	X	X	X	X	X	X	X	X		
2	Chloride Titration Strip Bottles	X	X	X	X	X	X	X	X	X	X		
1	pH indicator strip bottle	X	X	X	X	X	X	X	X	X	X		
6	Bags of Sphagsorb	X	X	X	X	X	X	X	X	X	X		
5	Chest Waders	X	X	X	X	X	X	X	X	X	X		
1	Shoulder length disposal gloves. (100/box)	X	X	X	X	X	X	X	X	X	X		
3	Boxes of Garbage Bags	X	X	X	X	X	X	X	X	X	X		
9	Oil Absorbent Pads 16"x18" 15" x 19" approx. 100/pack	X	X	X	X	X	X	X	X	X	X		
3	Roll Pad 32" x 150' Sorbent Roll	X	X	X	X	X	X	X	X	X	X		
33	Booms 8"-10', 5" 10' 4/pk Oil Booms	X	X	X	X	X	X	X	X	X	X		
6	1m3 waste containers	X	X	X	X	X	X	X	X	X	X		
1	60' by 150' Silage Plastic	X	X	X	X	X	X	X	X	X	X		
1	50' by 100' Silage Plastic	X	X	X	X	X	X	X	X	X	X		
45	T-Post	X	X	X	X	X	X	X	X	X	X		
1	Yellow Hitch Lock (key is in file folder)	X	X	X	X	X	X	X	X	X	X		
Trailer requires a 2 5/16" ball for transporting. Receiver and ball located in white trailer													

****Use Premium fuel for Generator, not provided in spill trailer****

Black Trailer Tires Run at 60lbs

